

| | Application No. | Applicant(s) |
|--|--|---------------------|
| Notice of Allowability | 10/807,544 | ISHIHARA, YOSHIHISA |
| | Examiner | Art Unit |
| | Ashok Patel | 2879 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to | | |
| 2. The allowed claim(s) is/are <u>1-8</u> . | | |
| 3. The drawings filed on are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements | | |
| noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 080605. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 032404 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summar Paper No./Mail D 8), 7. ☐ Examiner's Amend | ate |
| | | |

Art Unit: 2879

- 1. Receipt is acknowledged of papers filed under 35 U.S.C. 119

 (a)-(d) based on an application filed in Japan on 03/25/2003.

 Applicant has not complied with the requirements of

 37 CFR 1.63(c), since the oath, declaration or application data sheet does not acknowledge the filing of any foreign application. A new oath, declaration or application data sheet is required in the body of which the present application should be identified by application number and filing date.
- 2. Figure 10 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The following is an examiner's statement of reasons for allowance: prior art of the record does not disclose applicant's

Application/Control Number: 10/807,544

Art Unit: 2879

claimed lamp including a lamp and a base portion to which the lamp is mounted, wherein: lamp includes: a bulb having a base, lead wires and pinch seal portion; and the base portion includes: a resin adapter including a pair of adapter half bodies adapted to be fitted onto the pinch seal portion from left and right side portions pinch seal portion transverse direction and mounted on the pinch seal portion.

Page 3

- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ishihara, Busai et al, Eisner, Sr., Nakahara, Bryant and Hirozumi each are cited for showing general structure of a lamp including a base structure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ashok Patel whose telephone number is 571-272-2456. The examiner can normally be reached on Monday-Thursday.

Application/Control Number: 10/807,544

Art Unit: 2879

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on 571-272-2457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ashok Patel Primary Examiner Art Unit 2879

Page 4